

- 1. All dimensions are in mm & levels are in mt.
- 2. All bolt shall confirm to IS 1364-1967 of M-8.8 grade.
- All weld to be 6mm full fillet weld unless specified otherwise
- All welding shall confirm to IS 2062.
- Holes wherever required shall be made by drilling & gas cutting shall not be
- 6. I.S. indicates indian standard.

## Reference drawings

1) Proposed Garage cum Workshop Latest Plan

Ney to symbols											
1:10			0.5m	1m							
0 1.250m 2.5m											
P6	12/09/13	NV	Grid reference revised due to revised GA	NC							
P5	03/08/12	SM	Grid reference revised	NC	-						
P4	31/07/12	SM	Truss layout revised	NÇ	-						
Р3	25/05/11	SM	Gutter end revised	JR	-						
P2	18/05/11	SM	Truss layout revised	JR	-						
P1	05/05/11	SM	Preliminary Issue	JR	-						
Rev	Date	Drawn	Description	Ch'k'd	Ann'd						



Sakar II, Near Ellisbridge T - +91(0) 79 2657 5550/99 F - +91(0) 79 2657 5558

State Investment Program Management and Implementation Unit (SIPMIU) Government of Meghalaya

North Eastern Region Capital Cities **Development Investment Programme** for Shillong, Solid Waste Management General arrangement of Roof Truss of Work Shop and Garage (sheet 2 of 2)

Designed	J Rana		Eng check						
Drawn	S Makwana		Coordination	N Chauhan					
Dwg check	S Makwana		Approved						
Scale at A2 As Shown		Status PRE		Rev P6					
Drawlng Number MMD-260652-S-DR-SWM-00-3008									