


**Truss Roof Plan**

- Notes**
1. All dimensions are in mm & levels are in mt.
  2. All bolt shall confirm to IS 1364-1967 of M-8.8 grade.
  3. All weld to be 6mm full fillet weld unless specified otherwise.
  4. All welding shall confirm to IS 2062.
  5. Holes wherever required shall be made by drilling & gas cutting shall not be allowed.
  6. I.S. indicates indian standard.

R0	23-03-2015	L.L	DPR	R.T.G	S.K.S
Rev	Date	Drawn	Description	Ch'k'd	App'd



2nd Floor, Bellevue Mansarovar  
Opposite Clinic Research Unit  
(Tribal) for Homoeopathy  
Malik - Dhankhet  
Shillong - 793001  
Meghalaya, India  
T +91 (0) 364 2505 446  
F  
W www.mottmac.com

**Client**  
State Investment Program Management  
and Implementation Unit (SIPMIU)  
Government of Meghalaya

**Title**  
North Eastern Region Capital Cities  
Development Investment Programme  
for Shillong, Solid Waste Management  
Plan of General arrangement of Roof  
Truss of Compost Plant

Drawn	L.L	Eng check	P.A.J
Dwg check	R.T.G		
Approved	S.K.S		
Scale at A3	Status	Rev	
1:450	DPR	R0	

**Drawing Number**  
MMD-260652-S-DR-SWM-00-1006