



Notes

- All dimensions are in mm & levels are in mt.
- All bolt shall confirm to IS 1364-1967 of M-8.8 grade.
- All weld to be 6mm full fillet weld unless specified otherwise.
- All welding shall confirm to IS 2062.
- Holes wherever required shall be made by drilling & gas cutting shall not be allowed.
- I.S. indicates Indian standard.

Rev	Date	Drawn	Description	Ch'k'd	App'd
R0	23-03-2015	L.L	DPR	R.T.G	S.K.S

Mott MacDonald

2nd Floor, Bellevue Mansarovar
Opposite Clinic Research Unit
(Tribal) for Homoeopathy
Malik - Dhankhed
Shillong - 793001
Meghalaya, India
T +91 (0) 364 2505 446
F
W www.mottmac.com

Client
State Investment Program Management and Implementation Unit (SIPMIU)
Government of Meghalaya

Title
North Eastern Region Capital Cities Development Investment Programme for Shillong, Solid Waste Management Details of Truss Between Grid A To H

Drawn	L.L	Eng check	P.A.J
Dwg check	R.T.G		
Approved	S.K.S		
Scale at A2 Nts	Status DPR	Rev R0	

Drawing Number
MMD-260652-S-DR-SWM-00-1011

This document is issued for the party which commissioned it and for specific purposes connected with the captioned project only. It should not be relied upon by any other party or used for any other purpose. We accept no responsibility for the consequences of this document being relied upon by any other party, or being used for any other purpose, or containing any error or omission which is due to an error or omission in data supplied to us by other parties.